## Guidance for Longterm Bisphosphonate Use in Dumfries and Galloway Updated March 2023

5 year questionnaire for those on oral Bisphosphonate –

<ol> <li>New fractures in past 5 years</li> <li>2 or more</li> </ol>	Yes / No	<ul> <li>Any changes to clinical picture should result in a review</li> <li>DEXA at 5 yrs is indicated for stable patients to decide next steps</li> </ul>										
vertebral fractures		If T-Score remains low use FRAX tool										
3. Previous hip fracture	Yes / No	<ul> <li>FRAX tool links to the NOGG intervention thresholds</li> <li>Use thresholds to determine ongoing treatment</li> </ul>										
4. Current glucocorticoid use *	Yes / No	<ul> <li>Patients who are truly intolerant or cannot comply and may be suitable for parental treatment should be referred.</li> </ul>										
5. Age > 70 at start of treatment	Yes / No	*Current glucocorticoid use = prednisolone 7.5mg daily or equiv > 3 mnth										
	No all above	DEXA	T-score > -2.5	Treatn	Freatment completed, review risks 2 yrs							
			T-score ≤ -2.5	FRAX	Below NOGG threshold	As above						
					Above NOGG threshold	continue						
	Yes any above	Review - compliance - bloods - risks	new fracture or poor compliance	No	Continue to 10 year review							
				yes	Consider referral to Osteoporosis clinic							

Subsequent 10 year (8yrs Risedronate) questionnaire for continuous Bisphosphonate use

1. New fractures in past 5 years 2. Progressive	Yes / No	<ul> <li>Any changes to clinical picture should result in a review</li> <li>DEXA at 10yrs is only indicated for younger stable patients at ongoing increased risk of fracture (use Qfracture)</li> </ul>									
kyphosis with new vertebral fractures	Yes / No	<ul> <li>A persisting T-Score &lt; -2.5 should have a 2 year treatment pause, restarting without further DEXA after 2 years</li> <li>If referral to Osteoporosis clinic indicated, continue treatment until seen</li> </ul>									
3. Current glucocorticoid use*	Yes / No	*Current glucocorticoid use = prednisolone 7.5mg daily or equiv > 3 mnth									
			Age ≥ 80 years or frailty	Yes	Treatment completed						
	No all above	Stop Bisphosphonate		No	Qfracture	<20%	Treatment completed				
						≥20%	DEXA	≥-2.5	Treatment completed		
								<-2.5	Reassess at 2 years aiming to reintroduce		
	Yes any above	Review - compliance - bloods - risks	Frailty	Yes	Discontinue active bone treatment						
				No	Consider referral to Osteoporosis clinic						